

INDEX MAPS.

T. 25.N, R. 1 W. 2nd Mer.

	198		198		197		197		197		196	
200	6	221	5	217	4	213	3	208	2	204	1	196
	223		221		217		212		208		204	
199	7	221	8	216	9	212	10	208	11	203	12	196
	223		220		216		212		207		203	
199	18	220	17	215	16	211	15	207	14	202	13	195
	222		219		215		211		206		202	
199	19	219	20	215	21	210	22	206	23	202	24	195
	222		219		214		210		206		201	
198	30	218	29	214	28	210	27	205	26	201	25	195
	222		218		214		209		205		200	
198	31	217	32	213	33	209	34	205	35	200	36	196
	194		194		194		193		193		193	

T. 24.N, R. 1 W. 2nd Mer.

	232		232		231		231		231		230	
234	6	255	5	251	4	247	3	242	2	238	1	230
	257		255		251		246		242		237	
233	7	254	8	250	9	246	10	241	11	237	12	230
	257		254		250		246		241		237	
233	18	254	17	249	16	245	15	241	14	236	13	229
	256		250		249		245		240		236	
233	19	253	20	249	21	244	22	240	23	235	24	229
	256		253		248		244		239		235	
232	30	252	29	248	28	244	27	239	26	235	25	229
	256		252		248		243		239		234	
232	31	251	32	247	33	243	34	238	35	234	36	228
	228		228		227		227		227		227	

The figures on the lines refer to the page.

227

Township N. 24 North, Range N. 1 West 2. Mer. Indiana.
Chs. Ek?

Township Lines.

South Boundary. Var. 5° 45' E.

West on the S. Boundary of Sec. 36

10.00 a Creek 150 yds. wide course N

40.00 set g. sec. post from which

a W. Oak 36 in. diameter N 50 W 31 yds. dist. 8

a Do 8 " " " S 32 E 18 " "

80.00 set post cor. of sec. 35 & 36 from which

a W. Ash 9 in. diameter N 12 E 20 yds. dist. 8

a Beech 12 " " " S 45 W 23 " "

Land a little rolling, very rich & good for farming,
timber Beech, Sugar, Walnut, Ash, Oak, Hickory &c.

West on the S. Boundary of Sec. 35

32.00 a Brook 8 yds. wide course N.

40.00 set g. sec. post from which

a Beech 15 in. diameter N 51 W 15 yds. dist. 8

a Do 12 " " " S 18 E 19 " "

80.00 set post cor. of sec. 34 & 35 from which

a Sugar 30 in. diameter N 1 E 29 yds. dist. 8

a Do 20 " " " S 35 E 20 " "

Land similar to that on last mile, nearly 1st
rate, timber same as last noted

West on the S. Boundary of Sec. 34

40.00 set g. sec. post from which

a B. Walnut 36 in. diameter North 14 yds. dist. 8

a Beech 30 " " " S 16 E 48 " "

80.00 set post cor. of sec. 33 & 34 from which

a W. Oak 10 in. diameter S 69 E 13 yds. dist. 7

a S. Oak 30 " " " S 77 W 22 " "

Land 2nd the same as on the last mile

West on the S. Boundary of Sec. 33

35.00 a Creek 150 yds. wide course S 4 W

40.00 set g. sec. post from which (post in Creek)

T. 24 N., R. 1 W. 2. Mer. Ind.^a

Ch. 2d

a Beech 15 in. diameter West 396 Yds. dist.
(No other Bearing tree)

80.00 set post cor. of sec. 32 & 33 from which
a Beech 20 in. diameter N 17 E 8 Yds. dist. 8
a Hickory 10 " " " S 10 W 30 " "
Land &c. the same as on the last mile

West on the S. Boundary of Sec. 32

10.00 same creek course S W
40.00 set q. sec. post from which (post in. Sec. 31)
a Maple 24 in. diameter N 16 E 20 Yds. dist. 8
an Elm 12 " " " S 11 W 34 " "

41.00 same creek course S W

57.00 " " " " N W

80.00 set post cor. of sec. 31 & 32 from which
a Sugar 15 in. diameter N 9 E 15 Yds. dist. 8
a Beech 9 " " " S 28 W 16 " "
Land &c. the same as on the last mile

West on the S. Boundary of Sec. 31

31.50 same creek course S W

40.00 set q. sec. post from which
a Maple 18 in. diameter S 75 W 69 Yds. dist. 8
a Do 6 " " " S 67 E 20 " "

57.00 same creek course N W

70.00 " " " " S W

80.00 set temp. Township cor.

Second Principal Meridian or
East Boundary. Var. 5.45' E.

Bearings at cor. of T. 23 & 24 N., R. 1 W.

a W. Oak 10 in. diameter S 3 E 27 Yds. dist. 8
a Cherry 14 " " " N 28 E 19 " "

North on the E. Boundary of Sec. 36

November 20. 1879

37.50 a creek 125 Yds. wide course N W

40.00 set q. sec. post from which

T. 24 N., R. 1 W. 2. Mer. Ind.^a
 Ch. Ex.

a Sycamore 10 in. dia. bears S 15 E 16 Ms. dist. 8
 a Willow 9 " " " N 22 W 11 " "
 80.00 set post cor. of sec. 25 & 36 from which
 a Sugar 12 in. dia. bears S 66 E 15 Ms. dist. 8
 a Do 27 " " " N 50 W 16 " "
 Land rich, nearly T. rate, timber Oak, Beech,
 Sugar, Walnut, Ash, Hickory & good farming
 land

North on the E. Boundary of Sec. 25

10.00 a Brook 6 Ms. wide course S E

40.00 set of sec. post from which

a W. Ash 27 in. dia. bears N 55 E 9 Ms. dist. 8

a Beech 14 " " " N 31 W 6 " "

80.00 set post cor. of sec. 24 & 25 from which

a Hickory 10 in. dia. bears N 49 E 7 Ms. dist. 8

an Elm 30 " " " S 67 W 34 " "

Land & on S 1/2 mile similar to that on last
 mile, T. rate - N 1/2 mile level & part wet &
 swampy

North on the E. Boundary of Sec. 24

40.00 set of sec. post from which

a Beech 9 in. dia. bears S 8 E 30 Ms. dist. 8

a Do 12 " " " N 26 E 26 " "

80.00 set post cor. of sec. 13 & 24 from which

a Buckeye 12 in. dia. bears N 44 E 13 Ms. dist. 8

a Beech 9 " " " S 40 W 13 " "

Land level rich & good for farming, timber
 Beech, Sugar, Oak, Ash, Walnut, Gum, Elm,
 Poplar &c.

North on the E. Boundary of Sec. 13

30.00 a Brook 15 Ms. wide course W

40.00 set of sec. post from which

a Beech 12 in. dia. bears S 89 E 20 Ms. dist. 8

T. 24 N., R. 1 W. S. Mer. Ind. a
 Elm. 14?

a Beech 10 in. dishears N 59 W 3 1/2 m. dist.
 80.00 set part cor. of sec. 12 & 13 from which
 a Beech 18 in. dishears S 84 E 2 7/8 m. dist. &
 a Do 12 " " " N 87 W 16 " "
 Land & same as on the last mile

North on the E. Boundary of Sec. 12

40.00 set g. sec. part from which
 a Beech 12 in. dishears N 60 W 23 1/2 m. dist. &
 an Ironwood 8 " " " S 32 W 9 " "
 80.00 set part cor. of sec. 1 & 12 from which
 a Poplar 20 in. dishears S 37 E 24 m. dist. &
 a Do 12 " " " N 65 E 23 " "
 Land level & fertile, part wet, middling good
 for farming.

North on the E. Boundary of Sec. 1

40.00 set g. sec. part from which
 a Beech 12 in. dishears S 54 E 35 m. dist. &
 a Do 27 " " " West 23 " "
 44.00 enter Swamp
 60.00 passed "
 78.00 enter "
 80.00 set part cor. of T. 24 & 25 N, R. 1 W. from which
 a B. Ash 7 in. dishears S 35 W 58 m. dist. &
 an Elm 14 " " " N 67 W 26 " "
 Land rather poor, 1/2 mile similar to
 last mile

North Boundary. Var. S. 45 E.
 West on the S. Boundary of Sec. 36, T. 25 N, R. 1 W
 November 23. 1889

40.00 set g. sec. part from which
 a L. Oak 36 in. dishears N 79 E 46 m. dist. &
 an Elm 24 " " " S 68 W 48 " "
 50.00 enter swampy Prairie

T. 24 N., R. 1 W. 2. Mer. Ind. a

Ch. Sh.

60.00 papered swampy Prairie

80.00 set part cor. of sect 35 & 36 from which
an Elm 24 in. diameter N 52 E 31 1/2 hrs. dist. &
a Beech 7 " " " S 51 W 34 " "
Land level & rate, middling good farming
land, part too wet

West on the S. Boundary of Sec. 35, T 25 N, R 1 W

40.00 set g. sec. post from which
a Beech 12 in. diameter S 76 E 24 1/2 hrs. dist. &
a Dr 8 " " " S 49 W 13 " "

80.00 set part cor. of sect. 34 & 35 from which
a W. Beech 6 in. diameter N 28 W 35 1/2 hrs. dist. &
a W. Ash 9 " " " S 76 E 33 " "
Land same as on the last mile

West on the S. Boundary of Sec. 34, T 25 N, R 1 W

40.00 set g. sec. post from which
a Beech 18 in. diameter S 72 E 16 1/2 hrs. dist. &
a W. Oak 30 " " " S 60 W 23 " "

80.00 set part cor. of sect. 33 & 34 from which
a Beech 27 in. diameter S 7 E 38 1/2 hrs. dist. &
a Dr 18 " " " N 63 W 2 " "
Land level & rich, W. side nearly T. rate,
timber Beech, Sugar, Walnut, Ash &c.

West on the S. Boundary of Sec. 33, T 25 N, R 1 W

22.50 a Creek 30 hrs. wide runs N

31.00 a Spring branch 8 hrs. wide runs N

40.00 set g. sec. post from which
a W. Oak 30 in. diameter N 72 W 10 hrs. dist. &
a Beech 11 " " " N 39 W 17 " "

80.00 set part cor. of sect. 32 & 33 from which
a Beech 10 in. diameter N 36 W 31 hrs. dist. &
a Sugar 24 " " " S 65 E 23 " "
Land similar, nearly T. rate, timber Beech

T. 24 N., R. 1 W. 2^d Mer. Ind.?

Ch. 24.

Sugar, Oak, Walnut, Gum, Ash &c.

West on the S. Boundary of Sec. 32, T25 N, R1 W

40.00 set g. sec. post from which

a Beech 8 in. diameter S65 E 22 Ms. dist. 8

a Sugar 24 " " " N20 W 17 " "

80.00 set post cor. of sec. 31 & 32 from which

a Sugar 14 in. diameter N73 W 18 Ms. dist. 8

a Beech 12 " " " East 2 " "

Land similar, good 2^d rate, timber Oak,

Beech, Sugar, Ash &c. good for farming

West on the S. Boundary of Sec. 31, T25 N, R1 W

40.00 set g. sec. post from which

a W. Oak 36 in. diameter N10 E 38 Ms. dist. 8

a Beech 8 " " " S53 E 18 " "

80.00 temp. Township corner.

(Description of land &c. omitted)

West Boundary, Var. 6° 30' E.

Bearings at cor. of T. 23 & 24 N, R. 1 & 2 W

a W. Oak 30 in. diameter N31 E 18 Ms. dist. 8

a Hickory 8 " " " S31 W 38 " "

North on the E. Boundary of Sec. 36, T24 N, R2 W

40.00 set g. sec. post from which

a Beech 20 in. diameter S13 E 4 Ms. dist. 8

a Do 12 " " " N47 W 31 " "

80.00 set post cor. of sec. 25 & 36 from which

a Beech 8 in. diameter S45 E 39 Ms. dist. 8

a Do 10 " " " S59 W 18 " "

Land level, rich & good for farming, timber

Beech, Sugar, Ash, Oak, Hickory &c.

North on the E. Boundary of Sec. 25, T24 N, R2 W

40.00 set g. sec. post from which

a Hickory 10 in. diameter N89 E 10 Ms. dist. 8

T. 24 N., R. 1 W., E. Mer. Ind. a
Ch. Ch.

a B. Ash 12 in. diameter N 23 W 6 Ms. dist.
80.00 set post cor. of sec. 24 & 25 from which
a Gum 24 in. diameter N 75 E 15 Ms. dist. &
a Beech 10 " " " S 60 W 9 " "
Land level E. rate, part wet, timber same

North on the E. Boundary of Sec. 24, T 24 N., R 2 W

40.00 set g. sec. post from which
a B. Ash 9 in. diameter S 41 W 26 Ms. dist. &
a Beech 10 " " " N 21 E 26 " "
80.00 set post cor. of sec. 13 & 24 from which
a Sugar 10 in. diameter N 58 E 23 Ms. dist. &
a Beech 11 " " " S 34 E 10 " "
Land v. same as on the last mile

North on the E. Boundary of Sec. 13, T 24 N., R 2 W

31.00 a Brook 10 Ms. wide course N
40.00 set g. sec. post from which
a Beech 8 in. diameter S 3 E 19 Ms. dist. &
a Sugar 10 " " " N 22 E 27 " "
80.00 set post cor. of sec. 12 & 13 from which
an Elm 24 in. diameter S 54 E 8 Ms. dist. &
a B. Ash 4 " " " N 9 E 4 " "
Land $\frac{1}{2}$ mile part wet, $\frac{1}{2}$ mile very
rich & good for farming, timber Beech,
Sugar, Walnut, Ash &c.

North on the E. Boundary of Sec. 12, T 24 N., R 2 W

40.00 set g. sec. post from which
a Beech 36 in. diameter N 74 E 39 Ms. dist. &
a Do 9 " " " S 43 W 15 " "
80.00 set post cor. of sec. 1 & 12 from which
a Beech 24 in. diameter S 2 E 15 Ms. dist. &
a Do 12 " " " N 89 E 28 " "
Land level rich & good for farming, timber
same as last noted.

T. 24 N., R. 19 W. 2. Mer. Ind. a.

Ch. Lk.

North on the E. Boundary of Sec. 1, T. 24 N., R. 2 W.

40.00 set g. sec. post from which

a S. Oak 30 in. dia bears S 34 W 20 lbs. dist 8

a Beech 8 " " " S 61 E 20 " "

78.81 Intersect N. Boundary 111 lbs. W. of temp.

S. corner. - set post at intersection cor. of

T. 24 & 25 N., R. 1 & 2 W. from which

a W. Ash 12 in. dia bears S 74 E 21 lbs. dist 8

a B. Ash 27 " " " S 72 W 39 " "

Land flat, part wet, 2 rate

November 26. 1819 - Surveyed by
William Harris
Dep. Surveyor.

Subdivision. Var. 5° 45' E.

North between Sec. 35 & 36, T. 24 N., R. 1 W.

21.68 a Sugar 29 in. dia.

30.42 a Stream 130 lbs. wide runs S 68 W. rapid

40.00 set g. sec. post from which

a Buckeye 8 in. dia bears S 77 W 24 lbs. dist 8

an Ironwood 8 " " " North 1 " "

60.15 an Elm 30 " " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

an Elm 38 in. dia bears N 88 E 40 lbs. dist 8

a W. Oak 26 " " " S 88 W 23 " "

Land level, 1st rate Bottom, timber B. Wal-
nut, Buckeye, Sugar, Ash, Upr. Spice,
Pawpaw &c.

East on Random between Sec. 25 & 36

40.00 set temp. g. sec. post

79.75 Intersect E. Boundary 142 lbs. E. of post -

Land level 2nd rate, good for farming, timber
Sugar, Ash, Poplar, Upr. a little Spice

West Connected between Sec. 25 & 36

T. H. N., R. 1 W. 2. Mer. Ind. a
Ch. L. H.

19.25 a Sugar 24 in. dia.

39.87 set of g. sec. post at aver. dist. from which

a W. Elm 22 in. dia. bears N 79 W 22 Ms. dist. 8

a Beech 22 " " " S 32 E 20 " "

63.79 a W. Oak 36 " "

79.75 to sec. cor.

North between Sec. 25 & 26

21.86 a Beech 24 in. dia.

40.00 set of g. sec. post from which

a Hickory 32 in. dia. bears S 49 W 26 Ms. dist. 8

a W. Oak 6 " " " N 10 E 18 " "

65.67 a Beech 18 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a Gum 22 in. dia. bears N 19 E 19 Ms. dist. 8

a W. Elm 27 " " " S 19 W 17 " "

Land level good. Grate, timber W. Oak, Hickory,
Beech, Elm & W. Maple

East on Random between Sec. 24 & 25

40.00 set temp. g. sec. post

79.50 Intersect E. Boundary 100 Ms. S. of post -

Land level 2. Grate, timber Oak, Hickory, Elm,
Beech & W. Maple, Spice &

West Connected between Sec. 24 & 25

19.77 a Beech 28 in. dia.

39.75 set of g. sec. post at aver. dist. from which

a Beech 26 in. dia. bears S 55 W 29 Ms. dist. 8

a Sugar 10 " " " N 85 E 14 " "

59.33 a Beech 9 " "

79.50 to sec. cor.

North between Sec. 23 & 24

19.95 a W. Oak 30 in. dia.

40.00 set of g. sec. post from which

T. H. N., R. 1 W. 2. Mer. Ind. a.

Ch. E. H.

a Beech 22 in. dia. bears S 43° W 37 Mr. dit. 18

a Do 20 " " " N 10° E 25 " "

60.45 a R. Oak 30 " "

80.00 tot part cr. of sec. 13, 14, 23 & 24 from which

a Beech 19 in. dia. bears N 79° W 21 Mr. dit. 18

a Do 10 " " " S 89° E 31 " "

Land level good Prater, timber Beech, Poplar, Birch,
Ash & Upr. a little Spice

East on Random between Sec. 13 & 24

40.00 tot temp. gr. sec. part

79.84 Interest E. Boundary 93 Mr. S. of part -

Land level, 1st 1/2 mile good Prater, last
1/2 mile not good, timber Beech, Poplar,
Ash & Upr. Spice &

West Connected between Sec. 13 & 24

23.13 a Beech 21 in. dia.

39.92 tot gr. sec. part at aver. dit. from which

a Beech 20 in. dia. bears S 55° W 36 Mr. dit. 18

and Iron. 7 " " " N 69° E 25 " "

61.32 a Beech 23 " "

79.84 to sec. cr. July 5, 1821

North between Sec. 13 & 14

20.83 a Beech 14 in. dia.

40.00 tot gr. sec. part from which

a Hickory 16 in. dia. bears N 20° E 35 Mr. dit. 18

a Beech 16 " " " S 37° W 25 " "

63.00 a Do 15 " "

80.00 tot part cr. of sec. 11, 12, 13 & 14 from which

a Beech 24 in. dia. bears N 45° E 51 Mr. dit. 18

a Do 18 " " " S 45° W 20 " "

Land level Prater, timber Beech, Hickory,
Ash, Oak & Upr. Spice & Spruce.

T. 24 N., R. 19 W., S. 2, Mer. Ind. a.
Ch. 1. 18.

East on Random between Sec. 12 & 13

13.00 a Stream very shallow, nearly dry, 20 W. wide
course N W

19.55 Intersect E. Boundary 89 W. S. of port -

Land level good 2 rate, timber Beech, Ash
& Upr. Spruce

West corrected between Sec. 12 & 13

18.39 an Ash 36 in. dia.

39.77 set g. sec. post at aver. dist. from which

a Beech 12 in. dia. diam S 9 W 11 W. dist. 8

a Do 24 " " " N 17 E 15 " "

63.84 a Do 18 " "

79.55 to sec. cor.

North between Sec. 11 & 12

25.28 a Beech 30 in. dia.

30.35 a Stream 15 W. wide course N W. shallow

40.00 set g. sec. post from which

a Beech 15 in. dia. diam N 43 E 23 W. dist. 8

a Do 15 " " " S 43 W 53 " "

42.37 a Stream 15 W. wide course N E

48.55 a Do 15 " " " N W

50.41 a Do 18 " " " N E

51.76 a Do 20 " " " N W

61.06 a Honey Locust 30 in. dia.

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

a B. Walnut 30 in. dia. diam S 20 W 36 W. dist.

a Beech 18 " " " N 20 E 31 " "

Land level 2 rate, part good, timber Beech,
Ash, Walnut & Upr. Spruce, Dogwood &

East on Random between Sec. 1 & 12

40.00 set temp. g. sec. post

79.41 Intersect E. Boundary 3 W. S. of port -

Land level 2 rate, timber Beech, Spruce

T. H. N., R. & W. L. Mer. Ind.
 Chas. H.
 Poplar & Upr. Spruce, Ironwood &c.

West corrected between Sec. 1 & 2

18.78 a Beech 14 in. dia.
 39.45 set g. sec. post at aver. dist. from which
 a Beech 15 in. dia. bears S 66° W 28 W. dist. 8
 a W. Oak 40 ; ; ; N 66° E 4 ; ;
 61.08 a Beech 30 ; ;
 79.41 to sec. cor.

North between Sec. 1 & 2

13.82 enter wet Prairie
 38.50 leave Prairie, very brushy
 40.00 set g. sec. post from which
 a W. Oak 24 in. dia. bears N 50° W 28 W. dist. 8
 a Do 30 ; ; ; N 85° E 20 ; ;
 64.03 a Beech 16 ; ;
 81.41 Intersect N. Boundary 100 W. E. of post—
 set post at intersection cor. of sec. 1 & 2 from which
 a W. Elm 36 in. dia. bears N 30° W 30 W. dist. 8
 a Beech 18 ; ; ; N 55° E 12 ; ;
 Land level, last 1/2 mile pretty good 2nd rate, 1st
 1/2 mile not good, timber Oak, Elm, Walnut &c.
 Upr. Hazel &c. July 6. 1821

North between Sec. 34 & 35

13.70 a Stream 144 W. wide course N. 3 feet deep
 gentle
 21.50 a Hackberry 20 in. dia.
 34.05 a Stream 158 W. wide course N 10° E, navigable
 & gentle
 40.00 set g. sec. post from which
 a W. Oak 23 in. dia. bears N 79° W 4 W. dist. 8
 a Sugar 17 ; ; ; N 86° E 20 ; ;
 66.50 a Stream 120 W. wide course N. 2 1/2 feet deep
 rapid

T.H.N. / R.W.D. Mer. Inda.

Chs. 242

69.76 a R. Oak 34 in. dia.

80.00 set post cor. of sec. 26, 27, 34 & 35 from which
a Beech 11 in. dia. bears S 30° W 90 yds. dist. &

a Sugar 8 " " " S 86° E 10 " "

Land level 1st rate bottom, timber Buckeye,
Walnut, Sugar & Ylps. Spice, Pawpaw &

East on Random between Sec. 26 & 35

40.00 set temp. g. sec. post

80.00 Intersect N. S. line 43 yds. E. of post -

Land level 2nd rate, timber W. Oak, Elm, Hickory &
Ylps. Spice &

West Corrected between Sec. 26 & 35

26.46 a B. Gum 22 in. dia.

40.00 set g. sec. post at aver. dist. from which

a Beech 11 in. dia. bears N 44° W 26 yds. dist. &

a Hickory 28 " " " S 11° E 27 " "

64.53 a Do 20 " "

80.00 to sec. cor.

North between Sec. 26 & 27

19.04 a Beech 20 in. dia.

40.00 set g. sec. post from which

a Beech 18 in. dia. bears S 57° E 15 yds. dist. &

a Do 8 " " " N 53° W 53 " "

61.50 a R. Oak 30 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which

a Beech 18 in. dia. bears N 51° E 3 yds. dist. &

a Do 18 " " " S 46° W 3 " "

Land level good 2nd rate, timber Poplar, Ash,
Beech, & Ylps. Spice &

East on Random between Sec. 23 & 26

40.00 set temp. g. sec. post

80.02 Intersect N. S. line 57 yds. N. of post -

T. 24 N., R. 1 W., 2. Mer. Ind. a.

Elev. 240.

Land level good 2. rate, timber Ark, Beech &
Upr. Spruce &.

West Cornered between Sec. 23 & 26

21.38 a R. Oak 30 in. dia.

40.01 set g. sec. post at aver. dist. from which
an Ark 9 in. dia. bears S 70 W 39 lbs. dist. 18
a Do 30 " " " N 70 E 9 " "

59.67 a Beech 18 " "

80.02 to sec. cor.

North between Sec. 22 & 23

19.63 a Beech 14 in. dia.

35.00 enter wet Prairie

40.00 set g. sec. post in Prairie, no bearing trees

48.22 leave Prairie

65.96 a Beech 24 in. dia.

80.00 set post cor. of sec. 14, 15, 22 & 23 from which
a W. Oak 10 in. dia. bears N 30 W 6 lbs. dist. 18

a W. Elm 30 " " " S 64 E 40 " "

Land T. 1/2 mile good 2. rate - 2 1/2 mile wet
land, timber Elm, Spruce, W. Oak & Upr.
Spruce & July 7. 1821

East on Random between Sec. 14 & 23

40.00 set temp. g. sec. post

79.06 Intersect N & S line 3 M. E. of post -

Land level 2. rate, timber Poplar, Ark, Beech &
Upr. Spruce &.

West Cornered between Sec. 14 & 23

23.70 a Beech 10 in. dia.

39.83 set g. sec. post at aver. dist. from which
a Poplar 34 in. dia. bears N 65 W 26 lbs. dist. 18
a Beech 18 " " " S 48 E 11 " "

62.36 a Do 19 " "

T. 24 N., R. 1 W., 2^d Mer. Ind. a

Elev. 800

79.00 to sec. cor.

North between Sec. 14 & 15

23.76 a Beech 16 in. dia.

40.00 cut of g. sec. port from which

a W. Oak 14 in. dia. leans East 6 W. dist. 8

an Elm 20 " " " N 47 W 17 " "

62.38 a Beech 14 " "

80.00 cut port cor. of sec. 10, 11, 14 & 15 from which

a Beech 16 in. dia. leans S 33 E 17 W. dist. 8

an Elm 14 " " " N 57 W 37 " "

Land level 2^d rate, part very good soil, timber
Beech, Oak, Elm & Hgr. Spice &

East on Random between Sec. 11 & 14

40.00 cut temp. g. sec. port

79.32 Intersect. N. & S. line 14 W. N. of port -

Land level 2^d rate, part too flat for farming unless
drained, timber Beech, Oak, Ash & Spice &

West Harvested between Sec. 11 & 14

23.10 a Beech 12 in. dia.

39.00 cut of g. sec. port at aver. dist. from which

a Hickory 24 in. dia. leans N 48 W 32 W. dist. 8

an Ash 8 " " " S 44 E 22 " "

60.27 a Hickory 30 " "

79.32 to sec. cor.

North between Sec. 10 & 11

25.73 a Beech 14 in. dia.

27.50 enter wet Prairie, lush

40.00 cut of g. sec. port in Prairie, no bearing trees

53.50 leave Prairie

60.32 a B. Walnut 36 in. dia.

66.00 enter Prairie, at present void of water

80.00 cut port cor. of sec. 2, 3, 10 & 11 in Prairie from which

T. 24 N., R. 1 W. 2. Mer. Ind. a.

Chs. 24.

a W. Oak 24 in. dia. leans South 24 3/4 Ms. dist.
 (No other Bearing tree)
 Land generally flat & swampy, but little
 timber, Upr. Spruce, Shap. Willow, W. Rose &
 very thick July 8. 1821

East on Random between Sec. 2 & 11

5.83 leave Prairie
 40.00 set temp. q. sec. post
 41.50 enter Prairie, at present void of water,
 full of fine grass
 61.50 leave Prairie
 65.64 a Stream 15 Ms. wide course NE. shallow
 79.03 Intersect N. & S. line 20 Ms. N. of post -
 Land level, rich soil, a little Lake Beech -
 Upr. Pawpaw, Buckeye &

West Corrected between Sec. 2 & 11

17.96 an Ash 30 in. dia.
 29.51 set q. sec. post at aver. dist. from which
 a R. Oak 8 in. dia. leans N 78 W 26 Ms. dist. &
 a Do 8 " " " S 87 E 25 " "
 From this no tree in line
 79.03 to sec. cor.

North between Sec. 2 & 3

9.00 leave Prairie
 28.57 an Ash 16 in. dia.
 30.66 a Stream 15 Ms. wide course N
 40.00 set q. sec. post from which
 a Beech 8 in. dia. leans N 38 E 16 Ms. dist. &
 a Sugar 26 " " " S 72 W 16 " "
 63.17 a Beech 24 " "
 81.64 Intersect N. Boundary 19 1/2 Ms. E. of post -
 set post at intersection, cor. of Sec. 2 & 3 from which
 a Beech 24 in. dia. leans N 8 E 9 Ms. dist. &

T. 24 N., R. 19 W. 2. Mer. Ind. a.

Ch. Ck.

an Elm 40 in. diameter S 43° W 1 M. dist.

Land flat, but 1st 1/2 mile soil very rich -
2nd 1/2 mile 2nd rate only, timber Oak, Sugar, Ash
v. Upr. Spice, Maple, Dogwood &c.

North between Sec. 33 & 34

24.22 a Stream 50 M. wide course S 50° W. deep & rapid

26.63 a Beech 23 in. dia.

40.00 set q. sec. post from which

a Lycamore 8 in. diameter S 43° W 52 M. dist. 8

an Ironwood 8 " " " S 67° E 37 " "

41.00 a Stream 180 M. wide course N 48° E, shallow &
gentle

70.14 a Buckeye 10 in. dia.

80.00 set post cor. of sec. 27, 28, 33 & 34 from which

a W. Ash 19 in. diameter S 8° W 16 M. dist. 8

a Bl. Ash 11 " " " N 8° E 12 " "

Land 1st rate bottom, timber Buckeye,
Walnut, Ash v. Upr. Spice, Pawpaw &c.

East in Random between Sec. 27 & 34

1.64 a Stream 98 M. wide course S 40° W. 2 feet
deep & gentle

40.00 set temp. q. sec. post

81.39 Intersect N & S line 66 M. N. of post -

Land level 2nd rate, timber Poplar, Ash, Beech &c.
Upr. Spice &c.

West Corrected between Sec. 27 & 34

02.44 a Sugar 30 in. dia.

46.68 set q. sec. post at aver. dist. from which

a W. Walnut 12 in. diameter N 28° E 4 M. dist. 8

a Beech 30 " " " S 37° W 31 " "

65.82 a Do 18 " "

81.39 to sec. cor.

T. 24 N., R. 17 W. 2. Mer. Ind. a

Chas. L. H.

North between Sec. 27 & 28

0.73 a Stream 105 Ms. wide course S 42 W. 3 feet deep, gentle. About this place on the N. side of the Creek, the bank is more than 100 feet high & very steep.

24.08 a W. Oak 28 in. dia.

40.00 sit g. sec. port from which

a Beech 26 in. dia. leans S 33 W 9 Ms. dist. 8

a Do 12 " " " N 6 W 40 " "

62.69 a Do 22 " "

80.00 sit port. cor. of sec. 21, 22, 27 & 28 from which

a Pop. Ark 22 in. dia. leans N 4 W 42 Ms. dist. 8

a W. Elm 20 " " " S 11 E 20 " "

Land T. 1/2 mile good 2. rate, last 1/2 mile flat swampy, timber Pop. Ark, Elm & Wgs. Spice &.

July 13. 1821

East on Random between Sec. 22 & 27

28.00 enter wet Prairie

38.00 leave "

40.00 sit temp. g. sec. port

81.38 Intersect E. Boundary 7 Ms. E. of port.

Land T. 1/2 mile flat wet, 2 1/2 mile 2. rate, timber Ark, Elm & Wgs. Spice &.

West Corrected between Sec. 22 & 27

27.74 a Beech 20 in. dia.

40.69 sit g. sec. port at aver. dist. from which

a Hickory 18 in. dia. leans N 45 W 33 Ms. dist. 8

a Beech 22 " " " S 31 E 18 " "

62.86 a Poplar 22 " "

81.38 to sec. cor.

North between Sec. 21 & 22

2.00 enter Swamp, at present void of water

19.41 a W. Ark 20 in. dia.

T. 24 N., R. 1 W. 2. Mer. Ind. a

Ch. L. a.

40.00 set g. sec. post from which

a W. Ark 16 in. dia. bears S 28 E 5 M. dist. 8

a Do 14 " " " S 28 W 4 " "

50.00 leave Swamp

60.00 a Beech 18 in. dia.

80.00 set post cor. of sec. 15, 16, 21 & 22 from which

a B. Walnut 36 in. dia. bears East 7 M. dist. 8

a Beech 14 " " " S 45 W 47 " "

Land level, last part good Prater, timber Swamp
Ark, Elm, Oak & Upr. Hazle, Willow & other
Swamp bushes

East on Prater between Sec. 15 & 22

40.00 set temp. g. sec. post

80.90 Intersect N & S line 20 M. N. of post -

Land level Prater, timber Beech, Oak, Poplar &
Upr. Spice &

West Connected between Sec. 15 & 22

22.95 an Elm 36 in. dia.

40.45 set g. sec. post at aver. dist. from which

a Beech 12 in. dia. bears N 87 W 19 M. dist. 8

a Do 16 " " " S 42 E 17 " "

61.70 a Do 10 " "

80.90 to sec. cor.

North between Sec. 15 & 16

30.71 a Beech 8 in. dia.

40.00 set g. sec. post from which

a W. Oak 50 in. dia. bears North 1 M. dist. 8

a W. Elm 20 " " " S 14 E 23 " "

61.50 a Hickory 28 " "

80.00 set post cor. of sec. 9, 10, 15 & 16 from which

an Ark 20 in. dia. bears N 15 E 45 M. dist. 8

a Poplar 24 " " " S 62 W 3 " "

Land level Prater, timber Beech, Oak, Ark &

T. 24 N., R. 1 W. 2. Mer. Ind. a.
Ch. L. H.

Upr. Spice v.

East on Random between Sec. 10 & 15

40.00 set temp. g. sec. post

81.21 Intersect N. & S. line 34 W. N. of post -

Land level 2. rate, timber Oak, Elm, Beech v.

Upr. Spice, P. Ark v.

West Connected between Sec. 10 & 15

24.27 an Ark 20 in. dia.

40.00 set g. sec. post at av. dist. from which

a Beech 12 in. dia. bears S 10 W 20 W. dist. 8

a Do 20 " " " N 27 E 20 " "

60.00 a Do 24 " "

81.21 to sec. cor. July 14. 1821

North between Sec. 9 & 10

18.50 a Beech 15 in. dia.

40.00 set g. sec. post from which

a Beech 24 in. dia. bears N 54 E 23 W. dist. 8

a Do 13 " " " S 54 W 41 " "

62.07 a Do 14 " "

80.00 set post en. of sec. 3, 4, 9 & 10 from which

a Beech 24 in. dia. bears N 14 W 43 W. dist. 8

a Do 24 " " " S 22 E 27 " "

Land level, rich soil, timber Beech, Oak,

Ash, Walnut v. Upr. Spice v.

East on Random between Sec. 3 & 10

11.50 a Stream 8 W. wide course N. shallow

40.00 set temp. g. sec. post

79.00 enter wet Prairie

81.00 Intersect N. & S. line 39 W. N. of post -

Land level, rich soil to the stream, remainder tolerable 2. rate, timber Walnut, Oak, Ash v.

Upr. Spice v.

T. 24 N., R. 14 W. 2. Mer. Ind.?

Ch. 24

West Connected between Sec. 3 & 10

20.50 a Beech 18 in. dia.

40.50 set of sec. post at aver. dist. from which
 a Spruce 38 in. dia. bears N 73° W 37 lbs. dist. 8
 a W. Oak 40 " " " S 73° E 35 " "

63.27 a Beech 15 " "

81.00 to sec. cor.

North between Sec. 3 & 4

18.29 a Stream 3 lbs. wide course NE

23.69 a Sugar 14 in. dia.

40.00 set of sec. post from which
 a Beech 28 in. dia. bears S 74° E 27 lbs. dist. 8
 a Do 24 " " " N 27° W 53 " "

47.79 a Stream 75 lbs. wide course N 65° W. 18 in.
 deep, muddy & very sluggish

67.85 a Beech 14 in. dia.

80.25 Interest N. Boundary 126 lbs. E. of post -
 set post at intersection cor. of sec. 3 & 4 from which
 a Beech 7 in. dia. bears N 50° W 27 lbs. dist. 8
 a Do 24 " " " S 42° E 10 " "
 Land level, soil very rich to 2^d. stream, remain-
 der common 2^d rate, timber Beech, Walnut,
 Sugar &. Upr. Spice &.

North between Sec. 32 & 33

21.41 a W. Oak 22 in. dia.

40.00 set of sec. post from which
 a Beech 10 in. dia. bears N 19° E 24 lbs. dist. 8
 a W. Elm 22 " " " S 87° W 12 " "

61.58 a Do 23 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which
 a Beech 10 in. dia. bears N 27° W 42 lbs. dist. 8
 a Do 22 " " " S 33° E 20 " "

Land level 1st rate, timber Ash, Sugar, Walnut,
 & Upr. Spice, Pawpaw & July 15. 1821

T. 24 N., R. 1 W. E. Mer. Ind.?

Chs. Sh.

East on Random between Sec. 28 & 33

40.00 set temp. g. sec. post

64.00 a Stream 130 Yds. wide course S 47 W. 3 feet deep & gentle

80.79 Intersect N. G. line 18 Yds. S. of post -

Land a little broken good L. rate, timber
Ash, Sugar, Poplar & Upr. Spice &c.

West Connected between Sec. 28 & 33

21.03 a Sugar 9 in. dia.

40.49 set g. sec. post at amr. dist. from which

a Beech 24 in. dia. bears N 52 E 31 Yds. dist. &

a Do 11 " " " S 86 W 25 " "

64.85 a Hickory 22 " "

80.79 to sec. cor.

North between Sec. 28 & 29

28.17 a Pop. Ash 26 in. dia.

40.00 set g. sec. post from which

a Beech 20 in. dia. bears S 67 W 23 Yds. dist. &

a Do 14 " " " S 87 E 17 " "

60.27 a Pop. Ash 24 " "

80.00 set post cor. of sec. 20, 21, 28 & 29 from which

an Elm 30 in. dia. bears S 45 E 41 Yds. dist. &

a W. Oak 9 " " " N 25 W 17 " "

Land low & wet, timber Ash, Elm, Sycamore,
Hickory & Upr. Spice &c.

East on Random between Sec. 21 & 28

21.50 enter wet Prairie

40.00 set temp. g. sec. post

75.00 leave Prairie

80.18 Intersect N. G. line 50 Yds. N. of post -

Land low & wet, timber Pop. Ash, Elm, Sycamore & Upr. Prickly Ash, Spice &c.

T. 24 N., R. 1 W. 2. Mer. Ind. a

Chs. Ehs

West Connected between Sec. 21 & 28

40.09 set q. sec. post at aver. dist. in Prairie,
around which raised a mound,

60.16 a R. Oak 10 in. dia.

80.18 to sec. cor.

North between Sec. 20 & 21

18.19 a Beech 18 in. dia.

40.00 set q. sec. post from which
a Hickory 18 in. dia. bears N 54 E 54 lbs. dist. 8
a Beech 10 " " " S 69 W 25 " "

65.50 an Elm 18 " "

80.00 set post cor. of sec. 16, 17, 20 & 21 from which
a Beech 18 in. dia. bears S 22 E 12 lbs. dist. 8
a W. Elm 24 " " " N 22 W 56 " "Land level, good soil, part flat, requires
draining to answer the purposes of farming.

Timber Beech, Oak, Elm & Upr. none of consequence

East on Random between Sec. 16 & 21

40.00 set temp. q. sec. post

79.92 Intersect N & S line 25 lbs. N. of post -

Land level, very good soil, timber Beech,
Ash, Poplar, Oak, Walnut & no Upr. of
consequence

West Connected between Sec. 16 & 21

23.50 a R. Oak 30 in. dia.

39.96 set q. sec. post at aver. dist. from which
a Lynn 36 in. dia. bears N 80 W 10 lbs. dist. 8
an Ash 10 " " " N 64 E 28 " "

66.02 a Hickory 24 " "

79.92 to sec. cor. July 23. 1821

North between Sec. 16 & 17

27.88 a Beech 16 in. dia.

T. 24 N., R. 17 W. 2. Mer. Ind. a.

Ch. Ch.

40.00 set g. sec. post from which

a W. Elm 20 in. dia. leans S 20° E 17 ft. dist. 8

a R. Oak 16 " " " N 20° W 28 " "

61.41 a Beech 14 " "

71.00 enter wet Prairie

77.50 leave "

80.00 set post cor. of sec. 8, 9, 10 & 17 from which

a Beech 12 in. dia. leans S 68° W 3 ft. dist. 8

a W. Oak 12 " " " N 23° E 13 " "

T. 1/2 mile very good soil, land well adapted to farming purposes, last 1/2 mile flat & requires draining; timber Oak, Beech, Ash, Walnut, Hickory & Upr. a little Hazel & Swamp bushes

East in Random between Sec. 9 & 10

40.00 set temp. g. sec. post

80.00 Intersect N. & E. line 62 ft. N. of post -

Land T. 1/2 mile flat & wet, very little timber, Swamp bushes thick, last 1/2 mile rich soil, timber Oak, Ash, Beech & Upr. Spruce &

West Connected between Sec. 9 & 10

23.57 a W. Ash 12 in. dia.

40.00 set g. sec. post at aver. dist. from which

an Ironwood 5 in. dia. leans S 60° W 24 ft. dist. 8

a Beech 24 " " " N 62° E 23 " "

59.26 a W. Oak 24 " "

80.00 to sec. cor.

North between Sec. 8 & 9

23.47 a B. Gum 6 in. dia. at edge of Swamp

26.50 dry land

40.00 set g. sec. post from which

a R. Oak 38 in. dia. leans N 72° W 34 ft. dist. 8

a Beech 18 " " " S 72° E 53 " "

T. 24 N., R. 1 W. 2. Mer. Ind.?

Ch. Ch.

59.44 a Beech 18 in. dia.

80.00 set post cr. of sec. 4, 5, 8 & 9 from which
a W. Elm 16 in. dia. bears S 17 E 23 W. dist. 8

a W. Oak 30 " " " S 27 W 34 " "

Land too flat & swampy for farming with-
out drains. Timber Ash, Oak, Elm & Wgs.
a little Spice, Swamp bushes &c.

East in Random between Sec. 4 & 9

40.00 set temp. g. sec. post

79.90 Intersect N. S. line 30 W. N. of post -

Land level 2. rate, timber Beech, Walnut,
Oak & Wgs. Spice &c.

West Easected between Sec. 4 & 9

19.77 a Beech 20 in. dia.

39.95 set g. sec. post at ar. dist. from which

an Elm 45 in. dia. bears N 31 E 10 W. dist. 8

a Gum 26 " " " S 31 W 31 " "

63.96 a Beech 14 " "

79.90 to sec. cr. July 24, 1821

North between Sec. 4 & 5

22.84 an Elm 12 in. dia.

40.00 set g. sec. post from which

an Ash 10 in. dia. bears N 83 1/2 W 1 W. dist. 8

a Do 4 " " " S 83 1/2 E 22 " "

62.98 a Beech 14 " "

79.79 Intersect N. Boundary 19 W. E. of post -

set post at intersection cr. of sec. 4 & 5 from which

a Beech 28 in. dia. bears N 75 E 4 W. dist. 8

a Do 5 " " " N 87 W 27 " "

Land level 2. rate, timber Beech, Sugar, Ash,
Oak & Wgs. a little Spice.

North between Sec. 31 & 32

T. 24 N., R. 1 W., 2. Mer. Ind. a

Ch. 2k?

7.50 a Stream 75 ft. wide course W. 3 feet deep,
gentle

21.70 a B. Walnut 40 in. dia.

40.00 set g. sec. post from which

a Beech 24 in. dia. bears S 71 E 12 ft. dist. S

a Do 16 " " " N 40 W 28 " "

63.00 a R. Oak 40 " "

80.00 set post cor. of sec. 29, 30, 31 & 32 from which

a Beech 16 in. dia. bears S 63 E 22 ft. dist. S

a Do 10 " " " N 47 W 21 " "

Land a little broken & rate, timber Beech,
Sugar Oak & Upr. Spice, Ash &

East on Random between Sec. 29 & 32

40.00 set temp. g. sec. post

80.03 Intersect N & S. line at post -

Land level & rate, timber Beech, Oak, Poplar,
& Upr. Spice, Maple &

West Corrected between Sec. 29 & 32

20.47 an Ash 24 in. dia.

40.01 1/2 set g. sec. post at aver. dist. from which

a Beech 16 in. dia. bears N 45 E 30 ft. dist. S

a Do 14 " " " S 45 W 16 " "

50.10 a Hickory 24 " "

80.03 to sec. cor.

North between Sec. 29 & 30

23.00 a Hickory 26 in. dia.

40.00 set g. sec. post from which

a Beech 10 in. dia. bears N 87 E 3 ft. dist. S

a Do 8 " " " S 74 W 14 " "

67.65 a Hickory 30 " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which

a Beech 24 in. dia. bears S 74 W 32 ft. dist. S

a Poplar 36 " " " S 75 E 34 " "

T. 24 N., R. 1 W. 2. Mer. Ind. a.

Ch. 26.

Land level 2. rate, timber Beech, Oak, Hickory
& Upr. Spice & July 25. 1821

East on Random between Sec. 20 & 29

40.00 set temp. g. sec. post

79.90 Intersect N. S. line 13 Ms. N. of post -

Land level 2. rate, timber Elm, Beech, Oak &
Upr. Spice &

West Corrected between Sec. 20 & 29

22.58 a W. Oak 15 in. dia.

39.95 set g. sec. post at aver. dist. from which

a W. Oak 38 in. dia. bears S 80° W 14 Ms. dist. 8

a Hickory 20 " " " N 46° E 12 " "

60.30 an Ash 14 " "

79.90 to sec. cor.

North between Sec. 19 & 20

18.15 a Beech 12 in. dia.

40.00 set g. sec. post from which

a Sugar 24 in. dia. bears N 65° W 15 Ms. dist. 8

ambrosia? 6 " " " S 80° E 23 " "

65.70 an Elm 18 " "

80.00 set post cn. of sec. 17, 18, 19 & 20 from which

a W. Elm 20 in. dia. bears N 41° W 21 Ms. dist. 8

a Beech 15 " " " S 8° E 20 " "

Land level 2. rate, timber Beech, Ash, Elm
& Upr. Spice & Ash

East on Random between Sec. 17 & 20

40.00 set temp. g. sec. post

80.12 Intersect N. S. line 9 Ms. N. of post -

Land level 2. rate, timber Beech, Oak, Elm &
Upr. Spice &

West Corrected between Sec. 17 & 20

T. 24 N., R. 1 W. 2. Mer. Ind.?

Ch. Lk.

10.90 a Beech 12 in. dia.

40.06 set g. sec. post at aver. dist. from which
an Ash 24 in. dia. bears S 65° W 60 Ms. dist. 8
a Beech 10 " " " S 80° E 25 " "

60.81 a Do 12 " "

80.12 to sec. cor.

North between Sec. 17 & 18

24.14 a Beech 14 in. dia.

40.00 set g. sec. post from which
a Beech 12 in. dia. bears S 31° E 31 Ms. dist. 8
an Ash 28 " " " N 43° W 20 " "

64.50 a W. Elm 18 in. dia.

80.00 set post cor. of sec. 7, 8, 17 & 18 from which
a Beech 14 in. dia. bears N 20° W 42 Ms. dist. 8
a Do 14 " " " S 12° E 21 " "Land level 2. rate, last 1/2 mile rich soil, timber
Beech, Ash, Walnut & W. Spice, Ash

East on Random between Sec. 8 & 17

40.00 set temp. g. sec. post

80.24 Intersect N & S line 31 Ms. S. of post—

Land level & rich, timber Beech, Ash, Oak, &
W. Spice & Maple

West Connected between Sec. 8 & 17

18.82 an Ironwood 7 in. dia.

40.12 set g. sec. post at aver. dist. from which
a Beech 8 in. dia. bears S 51° W 40 Ms. dist. 8
a Do 12 " " " N 71° E 11 " "

59.29 a Sugar 20 " "

80.24 to sec. cor.

North between Sec. 7 & 8

23.88 a Beech 20 in. dia.

40.00 set g. sec. post from which

T. 24 N., R. 1 W. E. Mer. Ind.^a
Ch. Lk.

a Hickory 8 in. dia leans N 33 W 32 ft. dit 2
a Beech 20 " " " S 62 E 2 " "

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a Sugar 18 in. dia leans N 41 W 22 ft. dit 3

a Beech 15 " " " S 27 E 23 " "

First 1/2 mile level & rich, last 1/2 mile flat,
soil thin. Beech, Ash, Sugar, Elm, Walnut
W. Maple & Upr. Spice, Hazle &

East on Random between Sec. 5 & 8

40.00 set trap. g. sec. post

70.25 Intersect N & S line 4 ft. N. of post -

Land level, soil pretty good, timber Oak, Elm,
Ash, Beech & Upr. Spice, Ash &

West Correlated between Sec. 5 & 8

20.75 an Ash 8 in. dia.

40.12 1/2 set g. sec. post at aver. dit from which

an Elm 24 in. dia leans S 20 W 11 ft. dit 3

a Sycamore 18 " " " N 49 E 22 " "

62.00 a R. Oak 40 " "

80.25 to sec. cor.

North between Sec. 5 & 6

21.89 a Beech 15 in. dia.

40.00 set g. sec. post from which

a Hickory 26 in. dia leans South 23 ft. dit 3

a Beech 10 " " " North 54 " "

79.72 Intersect N. Boundary 150 ft. E. of post -

set post at intersection cor. of sec. 5 & 6 from which

a Beech 24 in. dia leans N 66 W 7 ft. dit 3

a Syc. 24 " " " S 27 E 15 " "

Land level, soil thin, part too flat for farm-
ing unless drained. Timber Beech, Sugar,
Syc. & Upr. Spice, Hornbeam &

July 26. 1821

T. 24 N., R. 1 W. 2^d Mer. Ind.^a

Ch. 1. 1st

West between Sec. 30 & 31

25.44 a W. Elm 16 in. dia.

40.00 set g. sec. post from which

a Sugar 18 in. dia. bears S 2 W 30 Ms. dist. &

a Beech 20 " " " N 20 E 25 " "

61.70 a Dr 24 " "

77.41 Intersect W. Boundary 40 Ms. S. of post -

set post at intersection cn. of sec. 30 & 31 from which

a Beech 18 in. dia. bears S 30 E 20 Ms. dist. &

a W. Ark 14 " " " N 43 W 42 " "

Land level 2^d rate, thin soil, timber Oak,
Beech, Sugar & W. Spruce, Ironwood &

West between Sec. 19 & 30

25.75 a Hickory 14 in. dia.

40.00 set g. sec. post from which

a Hornbeam 10 in. dia. bears S 73 W 7 Ms. dist. &

a Beech 14 " " " S 89 E 19 " "

68.50 a W. Oak 20 " "

78.21 Intersect W. Boundary 72 Ms. S. of post -

set post at intersection cn. of sec. 19 & 30 from

which a Sugar 12 in. dia. bears N 48 E 2 Ms. dist. &

a Beech 10 " " " S 48 W 32 " "

First 1/2 mile flat & swampy, last part 2^d rate
suitable for farming. Timber Oak, Beech,
& W. Spruce & Swampy bushes

West between Sec. 18 & 19

19.81 a Beech 28 in. dia.

40.00 set g. sec. post from which

a R. Oak 38 in. dia. bears S 64 W 21 Ms. dist. &

a Beech 28 " " " N 77 E 24 " "

63.58 a Dr 24 " "

79.27 Intersect W. Boundary 50 Ms. S. of post -

set post at intersection cn. of sec. 18 & 19 from which

an Ark 36 in. dia. bears N 68 W 15 Ms. dist. &

T. 24 N., R. 1 W. 2. Mer. Ind. &
Ch. 1st.

a Hickory 12 in. dia. bears S 78 E 44 Mr. dit.
Land level, soil not rich, timber Beech, Oak,
Ash, Sugar & Upr. Spruce, Beech &

West between Sec. 7 & 18

27.32 a W. Elm 14 in. dia.

40.00 cut of sec. port from which

a Beech 12 in. dia. bears N 8 E 6 Mr. dit. &

a W. Oak 28 " " " S 28 W 20 " "

40.10 enter Swamp

45.00 dry land

67.22 a Sycamore 50 in. dia.

80.43 Intersect W. Boundary 81 Mr. S. of port -

set port at intersection on. of sec. 7 & 18 from which

a W. Elm 30 in. dia. bears N 75 W 7 Mr. dit. &

a Beech 14 " " " S 81 E 21 " "

Land flat & swampy, timber Oak, Beech
& Upr. Spr. trunks

West between Sec. 6 & 7

26.11 a Sugar 28 in. dia.

40.00 cut of sec. port from which

a Sugar 24 in. dia. bears N 73 E 2 Mr. dit. &

a Beech 22 " " " S 67 W 47 " "

66.63 a W. Elm 16 " "

81.74 Intersect W. Boundary 85 Mr. S. of port -

set port at intersection on. of sec. 6 & 7 from which

a Beech 18 in. dia. bears N 85 W 47 Mr. dit. &

a Do 12 " " " S 68 E 36 " "

Land level, soil thin, timber Oak, Beech,
& Upr. Spruce & Ash. July 27. 1821

Surveyed by Josiah T. Polk
Dep. Surveyor.

I certify that the foregoing transcript
of Field Notes of the survey of Township N.^o
24 North, in Range N.^o 1 West of the 2^d Prin-
cipal Meridian, in the State of Indiana,
has been compared with the original on file
in this office, and found to be correct.
Surveyor General's Office,
Cincinnati, Sept. 15. 1842

William Johnston
Sur. Genl.